

More

Rubycon Manufacturer Part Nu Manufacturer/Brand: Manufacturer/Brand: Manufacturer/Brand: Part of Description: Not Actual Photo Datasheets: Not Actual Photo RoHs Status: Stock Condition: Ship From: Image may be representation. Shipment Way:

6.3ZAV100M6.3X7

Manufacturer Part Number:	6.3ZAV100M6.3X7				
Manufacturer/Brand:	Rubycon				
Part of Description:	CAP ALUM 100UF 20% 6.3V RADIAL				
Datasheets:	DF 1.6.3ZAV100M6.3X7.pdf				
	2.6.3ZAV100M6.3X7.pdf				
RoHs Status:	Kohs Lead free / RoHS				
Stock Condition:	Compliant New original, 2622 pcs Stock Available.				
Ship From:	Hong Kong				
Shipment Way:	DHL/Fedex/TNT/UPS/EMS				

Specifications

See specs for product details.

ManufacturerRubyconDescriptionCAP ALUM 100UF 20% 6.3V RADIALCotegoryCapacitors > Aluminum CapacitorsPart StatusZ622 pcs StockVoltage Rating6.3VTolerance±20%Surface Mount Land Size-Ster / Dimension0.248° Dia (6.30mm)SeriesZARipple Current182.4mA @ 120HzPolarizationPolarPackagingBulkPackage / CaseRadial, CanOperating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.1000 Hrs @ 105°CLead Spacing0.988° (2.50mm)Impedance150 mOhmHeight - Seated (Max)0.315° (8.00mm)ESR (Equivalent Series Resistance)-	
CategoryCapacitors > Aluminum CapacitorsPart Status2622 pcs StockVoltage Rating6.3VTolerance±20%Surface Mount Land Size-Size / Dimension0.248" Dia (6.30mm)SeriesZARipple Current182.4mA @ 120HzPolarizationPolarPackagingBulkPackage / CaseRadial, CanOperating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.100 Hrs @ 105°CLead Spacing0.938" (2.50mm)Impedance150 mOhmHeight - Seated (Max)0.315" (8.00mm)ESR (Equivalent Series Resistance)-	
Part Status2622 pcs StockVoltage Rating6.3VTolerance±20%Surface Mount Land Size-Size / Dimension0.248° Dia (6.30mm)SeriesZARipple Current182.4mA @ 120HzPolarizationPolarPackagingBulkPackage / CaseRadial, CanOperating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.1000 Hrs @ 105°CLead Spacing0.98° (2.50mm)Inpedance150 mOhmHeight - Seated (Max)0.315" (8.00mm)ESR (Equivalent Series Resistance)-	
Voltage Rating6.3VTolerance±20%Surface Mount Land Size-Size / Dimension0.248° Dia (6.30mm)SeriesZARipple Current182.4mA @ 120HzPolarizationPolarPackagingBulkPackage / CaseRadial, CanOperating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.1000 Hrs @ 105°CLead Spacing0.098° (2.50mm)Impedance150 mOhmHeight - Seated (Max)0.315° (8.00mm)ESR (Equivalent Series Resistance)-	
Tolerance±20%Surface Mount Land Size-Size / Dimension0.248" Dia (6.30mm)SeriesZARipple Current182.4mA @ 120HzPolarizationPolarPackagingBulkPackage / CaseRadial, CanOperating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.1000 Hrs @ 105°CLead Spacing0.988" (2.50mm)Impedance150 mOhmHeight - Seated (Max)0.315" (8.00mm)ESR (Equivalent Series Resistance)-	
Surface Mount Land Size-Size / Dimension0.248" Dia (6.30mm)SeriesZARipple Current182.4mA @ 120HzPolarizationPolarPackagingBulkPackage / CaseRadial, CanOperating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp,1000 Hrs @ 105°CImpedance150 mOhmImpedance150 mOhmESR (Equivalent Series Resistance)	
Size / Dimension0.248" Dia (6.30mm)SeriesZARipple Current182.4mA @ 120HzPolarizationPolarPackagingBulkPackage / CaseRadial, CanOperating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.1000 Hrs @ 105°CLead Spacing0.98" (2.50mm)Impedance150 mOhmFest (Equivalent Series Resistance)-	
SeriesZARipple Current182.4mA @ 120HzPolarizationPolarPackagingBulkPackage / CaseRadial, CanOperating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.1000 Hrs @ 105°CLead Spacing0.98" (2.50mm)Impedance150 mOhmHeight - Seated (Max)0.315" (8.00mm)ESR (Equivalent Series Resistance)-	
Ripple Current182.4mA @ 120HzPolarizationPolarPackagingBulkPackage / CaseRadial, CanOperating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.1000 Hrs @ 105°CLead Spacing0.98" (2.50mm)Impedance150 mOhmHeight - Seated (Max)0.315" (8.00mm)ESR (Equivalent Series Resistance)-	
PolarizationPolarPackagingBulkPackage / CaseRadial, CanOperating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.1000 Hrs @ 105°CLead Spacing0.098" (2.50mm)Impedance150 mOhmHeight - Seated (Max)0.315" (8.00mm)ESR (Equivalent Series Resistance)-	
PackagingBulkPackage / CaseRadial, CanOperating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.1000 Hrs @ 105°CLead Spacing0.098" (2.50mm)Impedance150 mOhmHeight - Seated (Max)0.315" (8.00mm)ESR (Equivalent Series Resistance)-	
Package / CaseRadial, CanOperating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.1000 Hrs @ 105°CLead Spacing0.098" (2.50mm)Impedance150 mOhmHeight - Seated (Max)0.315" (8.00mm)ESR (Equivalent Series Resistance)-	
Operating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.1000 Hrs @ 105°CLead Spacing0.098" (2.50mm)Impedance150 mOhmHeight - Seated (Max)0.315" (8.00mm)ESR (Equivalent Series Resistance)-	
Mounting TypeThrough HoleLifetime @ Temp.1000 Hrs @ 105°CLead Spacing0.098" (2.50mm)Impedance150 mOhmHeight - Seated (Max)0.315" (8.00mm)ESR (Equivalent Series Resistance)-	
Lifetime @ Temp.1000 Hrs @ 105°CLead Spacing0.098" (2.50mm)Impedance150 mOhmHeight - Seated (Max)0.315" (8.00mm)ESR (Equivalent Series Resistance)-	
Lead Spacing0.098" (2.50mm)Impedance150 mOhmHeight - Seated (Max)0.315" (8.00mm)ESR (Equivalent Series Resistance)-	
Impedance150 mOhmHeight - Seated (Max)0.315" (8.00mm)ESR (Equivalent Series Resistance)-	
Height - Seated (Max) 0.315" (8.00mm) ESR (Equivalent Series Resistance) -	
ESR (Equivalent Series Resistance) -	
Capacitance 100µF	
Applications General Purpose	

You May Be Also Be interested

In: 6.3ZL1200MEFC10X16 Rubycon CAP ALUM 1200UF 20% 6.3V RADIAL	6.3ZL1200MEFC8X20 Rubycon CAP ALUM 1200UF 20% 6.3V RADIAL	Rubycon 6.3ZA220MEFC6.3X11 Rubycon CAP ALUM 220UF 20% 6.3V RADIAL	6.3ZL1200MEFCT78X20 Rubycon CAP ALUM 1200UF 20% 6.3V RADIAL
Rubycon 6.3ZA470M8X11.5 Rubycon CAP ALUM 470UF 20% 6.3V RADIAL	Rubycon 6.3ZA220M6.3X11 Rubycon CAP ALUM 220UF 20% 6.3V RADIAL	6.3ZL1000MEFCT810X12.5 Rubycon CAP ALUM 1000UF 20% 6.3V RADIAL	6.3ZL1000MEFC10X12.5 Rubycon CAP ALUM 1000UF 20% 6.3V RADIAL

6.3ZAV100M6.3X7 Related keyword

6.3ZAV100M6.3X7 Rubycon	6.3ZAV100M6.3X7 Data Sheet	6.3ZAV100M6.3X7 Datasheets	6.3ZAV100M6.3X7 PDF	Rubycon 6.3ZAV100M6.3X7
6.3ZAV100M6.3X7 Electronic	6.3ZAV100M6.3X7 Components	6.3ZAV100M6.3X7 Distributor	6.3ZAV100M6.3X7 Image	6.3ZAV100M6.3X7 Part
6.3ZAV100M6.3X7 Price	6.3ZAV100M6.3X7 Manufacturer	6.3ZAV100M6.3X7 Picture	6.3ZAV100M6.3X7 Stock	6.3ZAV100M6.3X7 Inventory
6.3ZAV100M6.3X7 New	6.3ZAV100M6.3X7 Original	6.3ZAV100M6.3X7 Warranted	6.3ZAV100M6.3X7 RFQ	6.3ZAV100M6.3X7 Order Online

ADD:Unit A5-B5 No.509, 5/F Sing Win Factory Building, 15-17 Shing yip St, Kwun Tong, Kowloon, HongKong. Copyright © 2023 YIC-Electronics.com - YIC International Co., Limited