

More

Image may be representation

Image may be representation. See specs for product details.

B41505F7338M2

| Manufacturer Part Number: | B41505F7338M2 |
|---------------------------|--|
| Manufacturer/Brand: | EPCOS |
| Part of Description: | CAP ALUM 3300UF 20% 35V SNAP |
| Datasheets: | B41505F7338M2.pdf |
| RoHs Status: | Kohs Lead free / RoHS |
| Stock Condition: | Compliant New original, 2563 pcs Stock Available. |
| Ship From: | Hong Kong |
| Shipment Way: | DHL/Fedex/TNT/UPS/EMS |

Specifications

| ManufacturerEPCOSDescriptionCAP ALUM 3300UP 20% 35V SNAPCategoryCapactors > Aluminum CapactorsPart Status2563 pcs StockVotage Rating35VTolerance420%Surface Mount Land Size-Size / Dimension0.984* Dia (25.00mm)SeriesH1505Rapple Current1.5A @ 100HzPokagingPolarPackagingBulkPackagingRadial, can - Snap-In - 3 LeadOperating Temperature-005*CLifeting Temperature5000 Hrs @ 105*CLifeting Temperature0.934* (10.00mm)Indegace0.934* (10.00mm)Endes Conting5000 Hrs @ 105*CLifeting Temperature0.934* (10.00mm)Impedance0.934* (10.00mm)Endes Conting5000 Hrs @ 105*CLifeting Temperature5000 Hrs @ 105*CLifeting Temperature5000 Hrs @ 105*CLifeting Temperature5000 Hrs @ 105*CLifeting Temperature5000 Hrs @ 105*CLifeting Temperature500 Hrs @ 105*CLifeting Temperature500 Hrs @ 105*CLifeting Temperature500 Hrs @ 105*CLifeting Tesperature500 Hrs @ 105*CLifeting Tesperature500 Hrs @ 105*CLifeting Tesperature500 Hrs @ 105*CLifeting Tesperature500 Hrs @ 100HzESR (Equivalent Seites Resistance)56 mohm @ 100HzESR (Equivalent Seites Resistance)56 mohm @ 100HzCurrentSeites Heise Heise Heise Heise Heise Heise Heise Heise He | Part Number | B41505F7338M2 | | | |
|---|------------------------------------|----------------------------------|--|--|--|
| CategoryCapactors > Aluminum CapactorsPart Status2563 pcs StockVoltage Rating35VTolerance±20%Surface Mount Land Size-Size / Dimension0.984* Dia (25.00mm)SerlesB11505Ripple Current1.5A @ 100HzPolarizationPolarPolarizationBulkPackagingBulkPolarigation Torrent-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.5000 Hris @ 108°CLead Spacing0.984* (0.00mm)Impedance0.984* (0.00mm)Impedance1.68° (27.00mm)EK (Equivalent Series Resistance)300JF | Manufacturer | EPCOS | | | |
| Part Status2563 prs StockVoltage Rating35VTolerance±20%Surface Mount Land Size-Size / Dimension0.994° Dia (25.00mm)SeriesB41505Ripple Current1.5A @ 100HzPolarizationPolarPolarizationBulkPackaggingBulkOperating Temperature40°C < 105°C | Description | CAP ALUM 3300UF 20% 35V SNAP | | | |
| Voltage Rating35VTolerance±20%Surface Mount Land Size-Size / Dimension0.984* Dia (25.00mm)SeriesPd1505Ripple Current1.5A @ 100HzPolarizationPolarPackagingBulkPackage / CaseRadial, Can - Snap-In - 3 LeadOperating Temperature-00°C ~ 105°CLifetime @ Temp.5000 Hrs @ 105°FCLead Spacing0.394" (10.00mm)Inpedance60 mOhmHeight - Saeted (Max)1.063" (27.00mm)ESR (Equivalent Series Resistance)56 mOhm @ 100HzCapacitance330UJF | Category | Capacitors > Aluminum Capacitors | | | |
| Tolerance±20%Surface Mount Land Size-Size / Dimension0.994* Dia (25.00mm)SeriesB41505Ripple Current1.5A @ 100HzPolarizationPolarPackagingBulkPackage / CaseRadial, Can - Snap-In - 3 LeadOperating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.5000 Hrs@ 105°CLead Spacing0.994* (10.00mm)Impedance60 mOhmHeight - Seated (Max)1.063* (27.00mm)ESR (Equivalent Series Resistance)56 mOhm @ 100HzCapacitance330µF | Part Status | 2563 pcs Stock | | | |
| Surface Mount Land Size-Surface Mount Land Size0.984* Dia (25.00mm)ScriesB41505Ripple Current1.5A @ 100HzPolartzationPolarPackagingBulkPackage / CaseRadial, Can - Snap-In - 3 LeadOperating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.5000 Hrs @ 105°CLead Spacing0.994* (10.00mm)Impedance60 mOhmHeight - Seated (Max)1.063* (27.00mm)ESR (Equivalent Series Resistance)3500µFQapacitance300µF | Voltage Rating | 35V | | | |
| Size / Dimension0.984" Dia (25.00mm)Size / DimensionB41505Ripple Current1.5A @ 100HzPolarizationPolarPackagingBulkPackage / CaseRadial, Can - Snap-In - 3 LeadOperating Temperature40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.5000 Hrs @ 105°CLead Spacing0.394" (10.00mm)Inpedance60 mOhmHeight - Seated (Max)1.63" (27.00mm)ESR (Equivalent Series Resistance)56 mOhm @ 100HzCapadtance330uJF | Tolerance | ±20% | | | |
| SeriesB41505Ripple Current1.5A @ 100HzPolarizationPolarPackagingBulkPackage / CaseRadial, Can - Snap-In - 3 LeadOperating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.5000 Hrs @ 105°CLead Spacing0.394" (10.0mm)Impedance60 mOhnHeight - Seated (Max)1.663" (27.0mm)ESR (Equivalent Series Resistance)300µF | Surface Mount Land Size | - | | | |
| Ripple Current1.5A @ 100HzPolarizationPolarPackagingBulkPackage / CaseRadial, Can - Snap-In - 3 LeadOperating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.5000 Hrs @ 105°CLead Spacing0.394" (10.00mm)Impedance60 mOhmHeight - Seated (Max)1.063" (27.00mm)ESR (Equivalent Series Resistance)56 mOhm @ 100HzCapacitance3300µF | Size / Dimension | 0.984" Dia (25.00mm) | | | |
| PolarizationPolarPackagingBulkPackage / CaseRadial, Can - Snap-In - 3 LeadOperating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.5000 Hrs @ 105°CLead Spacing0.394" (10.00mm)Impedance60 mOhmHeight - Seated (Max)1.663" (27.00mm)ESR (Equivalent Series Resistance)56 mOhm @ 100HzCapacitance3300µF | Series | B41505 | | | |
| PackagingBulkPackage / CaseRadial, Can - Snap-In - 3 LeadOperating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.5000 Hrs @ 105°CLead Spacing0.394" (10.00mm)Impedance60 mOhmHeight - Seated (Max)1.063" (27.00mm)ESR (Equivalent Series Resistance)56 mOhm @ 100HzCapacitance3300µF | Ripple Current | 1.5A @ 100Hz | | | |
| Package / CaseRadial, Can - Snap-In - 3 LeadOperating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.5000 Hrs @ 105°CLead Spacing0.394" (10.00mm)Impedance60 mOhmHeight - Seated (Max)1.063" (27.00mm)ESR (Equivalent Series Resistance)56 mOhm @ 100HzCapacitance3300µF | Polarization | Polar | | | |
| Operating Temperature-40°C ~ 105°CMounting TypeThrough HoleLifetime @ Temp.5000 Hrs @ 105°CLead Spacing0.394" (10.00mm)Impedance60 mOhmHeight - Seated (Max)1.063" (27.00mm)ESR (Equivalent Series Resistance)56 mOhm @ 100HzCapacitance3300µF | Packaging | Bulk | | | |
| Mounting TypeThrough HoleLifetime @ Temp.5000 Hrs @ 105°CLead Spacing0.394" (10.00mm)Impedance60 mOhmHeight - Seated (Max)1.063" (27.00mm)ESR (Equivalent Series Resistance)56 mOhm @ 100HzCapacitance3300µF | Package / Case | Radial, Can - Snap-In - 3 Lead | | | |
| Lifetime @ Temp.5000 Hrs @ 105°CLead Spacing0.394" (10.00mm)Impedance60 mOhmHeight - Seated (Max)1.063" (27.00mm)ESR (Equivalent Series Resistance)56 mOhm @ 100HzCapacitance3300μF | Operating Temperature | -40°C ~ 105°C | | | |
| Lead Spacing0.394" (10.00mm)Impedance60 mOhmHeight - Seated (Max)1.063" (27.00mm)ESR (Equivalent Series Resistance)56 mOhm @ 100HzCapacitance3300µF | Mounting Type | Through Hole | | | |
| Impedance60 mOhmHeight - Seated (Max)1.063" (27.00mm)ESR (Equivalent Series Resistance)56 mOhm @ 100HzCapacitance3300µF | Lifetime @ Temp. | 5000 Hrs @ 105°C | | | |
| Height - Seated (Max)1.063" (27.00mm)ESR (Equivalent Series Resistance)56 mOhm @ 100HzCapacitance3300µF | Lead Spacing | 0.394" (10.00mm) | | | |
| ESR (Equivalent Series Resistance)56 mOhm @ 100HzCapacitance3300µF | Impedance | 60 mOhm | | | |
| Capacitance 3300µF | Height - Seated (Max) | 1.063" (27.00mm) | | | |
| | ESR (Equivalent Series Resistance) | 56 mOhm @ 100Hz | | | |
| | Capacitance | 3300µF | | | |
| Applications General Purpose | Applications | General Purpose | | | |

You May Be Also Be interested

| In: | ⊗TDK | &TDK | ⊗TDK |
|--|--|---|--|
| B41505F5478M2 EPCOS (TDK) CAP ALUM 4700UF 20% 25V SNAP | B41505F8228M7 EPCOS (TDK) CAP ALUM 2200UF 20% 63V SNAP | B41505F7338M EPCOS (TDK) CAP ALUM 3300UF 20% 35V SNAP | B41505F7338M000 EPCOS CAP ALUM 3300UF 20% 35V SNAP |
| &TDK | ⊗TDK | &TDK | ⊗TDK |
| B41505F7338M002 EPCOS | B41505F8228M000 EPCOS | B41505F8228M2 EPCOS (TDK) | B41505F8228M EPCOS (TDK) CAP ALUM 2200UF 20% 63V |

B41505F7338M2 Related keyword

| B41505F7338M2 EPCOS | B41505F7338M2 Data Sheet | B41505F7338M2 Datasheets | B41505F7338M2 PDF | EPCOS B41505F7338M2 |
|--------------------------|----------------------------|---------------------------|---------------------|----------------------------|
| B41505F7338M2 Electronic | B41505F7338M2 Components | B41505F7338M2 Distributor | B41505F7338M2 Image | B41505F7338M2 Part |
| B41505F7338M2 Price | B41505F7338M2 Manufacturer | B41505F7338M2 Picture | B41505F7338M2 Stock | B41505F7338M2 Inventory |
| B41505F7338M2 New | B41505F7338M2 Original | B41505F7338M2 Warranted | B41505F7338M2 RFQ | B41505F7338M2 Order Online |

ADD:Unit A5-B5 No.509, 5/F Sing Win Factory Building, 15-17 Shing yip St, Kwun Tong, Kowloon, HongKong. Copyright © 2023 YIC-Electronics.com - YIC International Co., Limited